

Category of the Industry :

RED



CONSENT ORDER NO. 2508265816207 DATED: 21/07/2025.

PROCEEDINGS NO.T4/TNPCB/F.1635MMN/RL/MMN/A/2025 DATED: 21/07/2025

SUB: Tamil Nadu Pollution Control Board - RENEWAL OF CONSENT –M/s. RAJU GUPTA , S.F.No. 202/3,202/4,202/5,202/6,202/7,202/8,202/9A,202/9B,202/10,202/11,203/10B,206/3,206/4, JAMIN PALLAVARAM 1 and 2 village, Pallavaram Taluk and Chengalpattu District - Renewal of Consent for the operation of the plant and discharge of emissions under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) –Issued- Reg. (Industry User ID- R17MMN9889038)

REF: 1. Application no. 65816207 dated: 27.03.2025 /01.07.2025
2. IR.No : F.1635MMN/RL/AEE/MMN/2025 dated 11/07/2025

RENEWAL OF CONSENT is hereby granted under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) (hereinafter referred to as “The Act”) and the rules and orders made there under to

The Proprietor
M/s . RAJU GUPTA
S.F No. 202/3,202/4,202/5,202/6,202/7,202/8,202/9A,202/9B,202/10,202/11,203/10B,206/3,206/4
JAMIN PALLAVARAM 1 and 2 Village
Pallavaram Taluk
Chengalpattu District.

Authorizing the occupier to operate the industrial plant in the Air Pollution Control Area as notified by the Government and to make discharge of emission from the stacks/chimneys.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This RENEWAL OF CONSENT is valid for the period ending **March 31, 2026**

SPECIAL CONDITIONS

1. This renewal of consent is valid for operating the facility for the manufacture of products (Col. 2) at the rate (Col. 3) mentioned below. Any change in the products and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Sl. No.	Description	Quantity	Unit
Product Details			
1.	IT park of Combined Triple basement floors for block 1 & 2 - G + 9 floors and Block 3 - G + 4 floors with the Built up Area of	69228.53	Sq.m

2. This renewal of consent is valid for operating the facility with the below mentioned emission/noise sources along with the control measures and/or stack. Any change in the emission source/control measures/change in stack height has to be brought to the notice of the Board and fresh consent/Amendment has to be obtained.

I	Point source emission with stack :			
Stack No.	Point Emission Source	Air pollution Control measures	Stack height from Ground Level in m	Gaseous Discharge in Nm3/hr
1	DG Set - 1010 KVA	Acoustic enclosures with stack	48.75	
2	DG Set - 1010 KVA	Acoustic enclosures with stack	48.75	
3	DG Set - 1010 KVA	Acoustic enclosures with stack	48.75	
4	DG Set - 600 KVA	Acoustic enclosures with stack	48.75	
5	DG Set - 600 KVA	Acoustic enclosures with stack	48.75	
6	DG Set - 600 KVA	Acoustic enclosures with stack	48.75	
7	DG Set - 500 KVA	Acoustic enclosures with stack	48.75	
8	DG Set - 365 KVA	Acoustic enclosures with stack	48.75	
II	Fugitive/Noise emission :			
Sl. No.	Fugitive or Noise Emission sources	Type of emission	Control measures	
1.	DG Sets	Noise	Acoustic Enclosure (Each)	

Special Additional Conditions:

The unit shall obtain No Objection Certificate (NOC) from the Tamil Nadu Bio Diversity Board /National Bio Diversity Authority if the unit is using any Biological resources or knowledge associated thereto as per the provisions of Biological Diversity Act 2002.

The industries shall take all efforts to use and popularize “Mission LiFE” logo and mascot which is available in TNPCB & MoEFCC website. They shall also request their employees to adopt “Mission LiFE” action points and document the same and furnish half yearly report to Board.

Additional Conditions:

1. The conditions stipulated in the Environmental Clearance issued vide SEIAA, TN letter no. SEIAA/TN/F-5984/EC/8(a)/509/2016 dated 19.05.2017 shall be complied with. Half-yearly (six months) status report on compliance of EC conditions shall be furnished to SEIAA-TN & TNPCB regularly.
2. The unit shall ensure that no process emission is let out from its activity under any circumstances and at any point of time.
3. The emissions let out from the stack provided to the DG sets shall achieve the Ambient Air quality/Ambient Noise Level Standards prescribed by the Board.
4. The unit shall adhere to the Ambient Air Quality & Ambient Noise Level standards prescribed by the Board.
5. The unit shall continue to develop adequate greenbelt by planting native tree species in and around the premises.
6. The unit shall furnish the Auditor’s certificate every year for the Gross Fixed Assets showing the value of the land, building, machinery, etc., without depreciation and shall remit the consent fee as and when demanded by the Board if any due to revision.
7. In case of revision of consent fee by the Government, the unit shall remit the difference in amount within one month from the date of notification. Failing to remit the consent fee, this consent order will be withdrawn without any notice and further action will be initiated against the unit as per law.
8. This consent order does not absolve from obtaining necessary permission / clearance from other Authority or under other Statute as applicable.

To
The Proprietor,
M/s.RAJU GUPTA,
16/A KKMP Building, Millers Road,
Vasanth Nagar,
Bangalore.
Pin: 560052

Copy to:

- 1.The Commissioner, PALLAVAPURAM-Municipality, Pallavaram Taluk, Chengalpattu District .
2. The District Environmental Engineer, Tamil Nadu Pollution Control Board, MARAIMALAI NAGAR.
3. The JCEE-Monitoring, Tamil Nadu Pollution Control Board, Chengalpattu.
4. File
