

Date: 11.06.2026

To

The District Environmental Engineer,
Tamil Nadu Pollution Control Board,
Maraimalai Adigalar Street,
Next to Municipal Office, Maraimalai Nagar,
Chennai-603 209.

Sub: Submission of Form V Environmental Statement for April 2025 – March 2026 reg.

Ref: CONSENT ORDER NO. 2508265816207 & 2508165816207 Dated: 21/07/2025

Dear Sir,

With the above cited subject and reference, we wish to bring to your notice that M/s. RAJU GUPTA, S.F.No. 202/3,202/4,202/5,202 /6,202/7,202/8,202 /9A,202 /9B,202/10,202 /11,203 /10B,206/3,206/4, JAMIN PALLAVARAM 1 and 2 village, Pallavaram Taluk and Chengalpattu District is operational and we submitting Form-V for the period of April 2025 - March 2026.

This is for your kind information.

Thanking You.

Yours faithfully,

For M/s. RAJU GUPTA



Authorized Signatory



Enclosed: Environmental monitoring Report is attached as Annexure - I.



JMD PROPERTIES

Bengaluru Office
16/A, Millers Road,
Vasanthnagar, Bengaluru - 560 052. INDIA
Tel: 080 4020 9600

Chennai Office
Featherlite The Address,
Survey No.203/10B, 200 feet MMRD Road,
Zamin Pallavaram, Chennai - 600 044.
Tamilnadu, INDIA. Tel : 044 2825 5555

E-mail : chennai@featherliteindia.com
Website : www.featherlitedevelopers.com

ENVIRONMENTAL STATEMENT (APRIL 2025 – MARCH 2026)

FORM V (Rule 14)

Environmental Statement for the financial year ending 31st March, 2026

PART – A

- i) Name and address of the owner / occupier of the industry operation or process : M/s. RAJU GUPTA, S.F. No. 202/3,202 /4,202/5,202 / 6,202/7,202/8,202 / 9A,202 /9B,202 /10,202 /11,203 /10B,206/3,206 /4, JAMIN PALLAVARAM 1 and 2 village, Pallavaram Taluk and Chengalpattu District
- ii) Industry Category. : Orange
Primary. ____ (STC code) Air Consent Order no. 2508265816207
Secondary ____ (SIC code) Water Consent Order no. 2508165816207
Dated: 21/07/2025
- iii) Production capacity : IT park of Combined Triple basement floors Built-up Area 69228.53 Sq.m
- iv) Year of establishment. : 26.12.2017
- v) Date of the last environmental Statement submitted. :

PART – B

Water and Raw Material Consumption

- i) Water consumption KL/day.

Process - 0
Cooling - 0
Domestic - 120 KL

S. No	Name of the Product	Process water consumption per unit of product output	
		During previous financial year	During current financial year April 2025 - Mar 2026
1.	IT park of Combined Triple basement floors Built-up Area 69228.53 Sq.m	8535 KL	10668 KL

PART E
Solid wastes

Solid wastes	Total quantity	
	During the previous financial year	During the current financial year April 2025 – March 2026
a) From process	Nil	Nil
b) From pollution control facilities		
i) STP sludge	Nil	Nil
(c)(1) Quantity recycled or re- utilized within the unit	Nil	Nil
(2) Sold	Nil	Nil
(3) Disposed		
i) organic waste	Kg	Kg
ii) In organic	Kg	Kg
iii) STP Sludge	Nil	Nil

PART – F

Please specify the characteristics (in terms of consumption of quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

HAZARDOUS WASTE			
S. No	Name of Process Waste (Category No)	Quantity	Disposal Method
1	5.1 Used Spent Oil	(700 Ltrs /Year)	Disposed through authorized recyclers
2	5.2 Oil filters and soaked clothes	Nil	Disposed through authorized recyclers
SOLID WASTE			
S. No	Nature of Solid Waste	Quantity	Disposal Method
1.	Organic waste	Nil	Recycled through Organic waste convertor

PART – I

Any other particulars for improving the quality of the environment

A suitable landscaping and greenbelt comprising of native species has been developed in the project. This could help preventing pollution from air, noise and heat island.

For M/s. RAJU GUPTA

for



Authorized Signatory



Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax : 42985500

E-mail : labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Annexure-20

Page : 1 of 2

ULR : TC1747526000003276F

Report No. : HECS/WT/010/070226

Sample ID No : 070226047

Sampling Date : 07/02/2026

Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Water

Sample Name : Domestic water

Sample Mark : Domestic water

Sample Reference : NA

Sample Drawn By : M/s.Hubert Enviro care Systems Limited.

Sample Location : NA

Environmental Condition : Temperature (°C) : 29.8 | Humidity (%) : 55.1

Sampling Method & Plan : IS 17614 (Part -1) : 2025 & HECS-G/M/SOP/004

Received Date : 07/02/2026


Commenced Date : 07/02/2026

Completed On : 13/02/2026

Report Date : 13/02/2026

Sample quantity : 2 Litres

S.No.	Test Parameters	Units	Results	Test Method
Discipline : Chemical				
1	Magnesium as Mg	mg/l	7.29	IS 3025 Part 46: 2023
2	Methyl Orange alkalinity as CaCO ₃	mg/l	110.0	IS 3025 (Part 23): 2023
3	Calcium as Ca	mg/l	8.01	IS 3025 (Part 40): 2024(EDTA titrimetric method)
4	Chloride as Cl	mg/l	935.32	IS 3025 (Part 32): 1988 (Argentometric method)
5	Colour	Hazen units	BLQ(LOQ:1.0)	IS 3025 (Part4): 2021
6	Electrical Conductivity at 25°C	µS/cm	33400.0	IS 3025:(Part-14): 2013
7	Fluoride as F	mg/l	0.78	IS 3025 Part 60 Sec 1 : 2023
8	Iron as Fe	mg/l	0.045	APHA 24th edition (Method 3500 Fe B &3111 B): 2023
9	Nitrate as NO ₃	mg/l	15.20	IS 3025 Part 34 Sec 1: 2023
10	pH at 25°C	-	13.02	IS 3025(Part 11): 2022
11	Phenolphthalein alkalinity as CaCO ₃	mg/l	8400.0	IS 3025 (Part 23): 2023
12	Potassium as K	mg/l	50.0	IS 3025 Part 45: 2024
13	Sodium as Na	mg/l	3450.0	IS 3025 (Part 45): 2023
14	Sulphate as SO ₄	mg/l	138.4	IS 3025 : Part 24 : Sec 1: 2022
15	Total dissolved solids	mg/l	18036.0	IS 3025 (Part 16): 2023
16	Turbidity	NTU	BLQ(LOQ:0.1)	IS 3025 Part 10: 2023



M.Muthukaruppan
Technical Manager - Water
Authorized Signatory

1. The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts my liability or loss /damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-G/Q/FMR/049

Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.
Ph: 42985555 / 43635555 Fax : 42985500
E-mail : labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page : 2 of 2

ULR : TC1747526000003276F
Report No. : HECS/WT/010/070226
Sample ID No : 070226047
Sampling Date : 07/02/2026

Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Water
Sample Name : Domestic water
Sample Mark : Domestic water
Sample Reference : NA
Sample Drawn By : M/s. Hubert Enviro care Systems Limited.
Sample Location : NA
Environmental Condition : Temperature (°C) : 29.8 | Humidity (%) : 55.1
Sampling Method & Plan : IS 17614 (Part -1) : 2025 & HECS-G/M/SOP/004


Received Date : 07/02/2026
Commenced Date : 07/02/2026
Completed On : 13/02/2026
Report Date : 13/02/2026
Sample quantity : 2 Litres

S.No.	Test Parameters	Units	Results	Test Method
17	Silica as SiO ₂	mg/l	20.3	IS 3025 Part 35: 2024 (Molybdo-silicate method, Heteropoly blue Method)
Discipline : Biological				
18	Total Coliform	MPN/100ml	<2	IS 1622: 1981 RA 2019
19	Escherichia coli	MPN/100ml	<2	IS 1622: 1981 RA 2019
20	Total Bacterial Count	Cfu/ml	120	IS 1622: 1981 RA 2019

Note :- BLQ - Below the Limit of Quantification, LOQ- Limit of Quantification, NTU- Nephelometric Turbidity Unit,
mg/l- Milligrams per litre, MPN – Most Probable Number, <2 is Considered as Absent, Cfu – Colony Forming unit per millilitre.

End of Report


Caroline.J
Technical Manager - Microbiology
Authorized Signatory




M. Muthukaruppan
Technical Manager - Water
Authorized Signatory

1. The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts my liability or loss /damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-G/Q/FMR/049

Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.
Ph: 42985555 / 43635555 Fax : 42985500
E-mail : labsales@hecs.in

Laboratory Services Division

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page : 1 of 1

Name of the Client : M/s. Featherlite India.,

Report No. : HECS/WT/010/070226/N

Sample ID No : 070226047

Sampling Date : 07/02/2026

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Water

Received Date : 07/02/2026

Sample Name : Domestic water

Commenced Date : 07/02/2026

Sample Mark : Domestic water

Completed On : 13/02/2026

Sample Reference : NA

Report Date : 13/02/2026

Sample Drawn By : M/s.Hubert Enviro care Systems Limited.

Sample quantity : 2 Litres

Sample Location : NA


Environmental Condition : Temperature (°C) : 29.8 | Humidity (%) : 55.1

Sampling Method & Plan : IS 17614 (Part -1) : 2025 & HECS-G/M/SOP/004

S.No.	Test Parameters	Units	Results	Test Method
Discipline : Chemical				
1	Aluminium as Al	mg/l	BLQ(LOQ:0.02)	IS 3025 Part 55: 2003 (Eriochrome Cyanine R Method)
2	Uranium	mg/l	BLQ(LOQ 0.01)	USEPA 200.8 : 1994

Note :- BLQ - Below the Limit of Quantification, LOQ- Limit of Quantification, mg/l- Milligrams per litre.

End of Report



M. Muthukaruppan
M.Muthukaruppan
Technical Manager - Water
Authorized Signatory

1. The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts my liability or loss /damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-G/Q/FMR/049



TC-17475



TEST REPORT

Page : 1 of 7

Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Water

Sample Name : Drinking Water

Sample Mark : Drinking Water

Sample Reference : NA

Sample Drawn By : M/s.Hubert Enviro care Systems Limited.

Sample Location : NA

Environmental Condition : Temperature (°C) : 27.4 | Humidity (%) : 55.6

Sampling Method & Plan : IS 17614 (Part -1) : 2025 & HECS-G/M/SOP/004

ULR : TC1747526000003277F

Report No. : HECSL/WT/011/070226

Sample ID No : 070226048

Sampling Date : 07/02/2026

Received Date : 07/02/2026


Commenced Date : 07/02/2026

Completed On : 13/02/2026

Report Date : 13/02/2026

Sample quantity : 2 Litres

S.No.	Test Parameters	Units	Results	Test Method	IS 10500 : 2012	
					Acceptable Limits (Max)	Permissible Limits (Max)
Discipline : Chemical						
1	Colour	Hazen units	BLQ(LOQ:1.0)	IS 3025 Part 4: 2021	5	15
2	Odour	-	Agreeable	IS 3025 (Part 5): 2018	Agreeable	Agreeable
3	pH at 25°C	-	7.11	IS 3025 Part 11 : 2022 (Electrometric method)	6.5-8.5	No relaxation
4	Taste	-	Agreeable	IS 3025 Part 8: 2023	Agreeable	Agreeable
5	Turbidity	NTU	BLQ(LOQ:0.1)	IS 3025 Part 10: 2023	1	5
6	Total Dissolved Solids	mg/l	14.0	IS 3025 Part 16: 2023	500	2000
7	Aluminium as Al	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8 : 1994	0.03	0.2
8	Ammonia as NH3	mg/l	BLQ(LOQ:0.02)	IS 3025 Part 34 : Sec 1: 2023	0.5	No relaxation
9	Anionic Surface Active agents as MBAS	mg/l	BLQ(LOQ:0.05)	IS 3025 Part 68:2019	0.2	1
10	Barium	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8 : 1994	0.7	No relaxation
11	Boron as B	mg/l	BLQ(LOQ:0.1)	IS 3025 Part 57: 2021 (Curcumin Method)	0.5	2.4
12	Calcium as Ca	mg/l	BLQ(LOQ:1.0)	IS 3025 Part 40: 2024(EDTA Titrimetric Method)	75	200
13	Chloramine (as Cl2)	mg/l	BLQ(LOQ:0.1)	IS 3025 Part 26: 2021 (DPD Method b,c)	4.0	No relaxation



M.Muthukaruppan
Technical Manager - Water
Authorized Signatory

Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.
Ph: 42985555 / 43635555 Fax : 42985500
E-mail : labsales@hecs.in



TC-17475

Laboratory Services Division

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page : 2 of 7

Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Water

Sample Name : Drinking Water

Sample Mark : Drinking Water

Sample Reference : NA

Sample Drawn By : M/s.Hubert Enviro care Systems Limited.

Sample Location : NA

Environmental Condition : Temperature (°C) : 27.4 | Humidity (%) : 55.6

Sampling Method & Plan : IS 17614 (Part -1) : 2025 & HECS-G/M/SOP/004

ULR : TC1747526000003277F

Report No. : HECSL/WT/011/070226

Sample ID No : 070226048

Sampling Date : 07/02/2026

Received Date : 07/02/2026


Commenced Date : 07/02/2026

Completed On : 13/02/2026

Report Date : 13/02/2026

Sample quantity : 2 Litres

S.No.	Test Parameters	Units	Results	Test Method	IS 10500 : 2012	
					Acceptable Limits (Max)	Permissible Limits (Max)
14	Chloride as Cl	mg/l	5.93	IS 3025 Part 32 (Argentometric method): 1988	250	1000
15	Copper	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8 : 1994	0.05	1.5
16	Fluoride as F	mg/l	BLQ(LOQ:0.2)	IS 3025 Part 60 Sec 1: 2023	1.0	1.5
17	Residual free chlorine	mg/l	BLQ(LOQ:0.1)	IS 3025 (Part 26): 2021 (DPD method b,c)	0.2	1
18	Iron as Fe	mg/l	BLQ(LOQ:0.01)	IS 3025 Part 53: 2024	1.0	No relaxation
19	Magnesium as Mg	mg/l	BLQ(LOQ:1.0)	IS 3025 Part 46: 2023	30	100
20	Manganese	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8 : 1994	0.1	0.3
21	Mineral Oil	mg/l	BLQ (LOQ: 0.5)	IS 3025(Part 39) of clause 6: 1991	1	No relaxation
22	Phenolic compounds as C ₆ H ₅ OH	mg/l	BLQ(LOQ:0.001)	IS 3025 Part 43 Sec 1: 2022 (4 Amino - antipyrine method)	0.001	0.002
23	Selenium	mg/l	BLQ (LOQ: 0.005)	USEPA 200.8 : 1994	0.01	No relaxation
24	Silver	mg/l	BLQ (LOQ: 0.005)	USEPA 200.8 : 1994	0.1	No relaxation
25	Sulphate as SO ₄	mg/l	BLQ(LOQ:1.0)	IS 3025 Part 24 Sec 1: 2022 (Turbidity method)	200	400



M.Muthukaruppan
Technical Manager - Water
Authorized Signatory

1. The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts my liability or loss /damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-G/Q/FMR/049

Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.
Ph: 42985555 / 43635555 Fax : 42985500
E-mail : labsales@hecs.in



TC-17475

Laboratory Services Division

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page : 3 of 7

Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Water

Sample Name : Drinking Water

Sample Mark : Drinking Water

Sample Reference : NA

Sample Drawn By : M/s.Hubert Enviro care Systems Limited.

Sample Location : NA

Environmental Condition : Temperature (°C) : 27.4 | Humidity (%) : 55.6

Sampling Method & Plan : IS 17614 (Part -1) : 2025 & HECS-G/M/SOP/004

ULR : TC1747526000003277F

Report No. : HECSL/WT/011/070226

Sample ID No : 070226048

Sampling Date : 07/02/2026

Received Date : 07/02/2026


Commenced Date : 07/02/2026

Completed On : 13/02/2026

Report Date : 13/02/2026

Sample quantity : 2 Litres

S.No.	Test Parameters	Units	Results	Test Method	IS 10500 : 2012	
					Acceptable Limits (Max)	Permissible Limits (Max)
26	Sulphide as H ₂ S	mg/l	BLQ(LOQ:0.04)	IS 3025 Part 29 (Methylene blue method): 1986	0.05	No relaxation
27	Total alkalinity as CaCO ₃	mg/l	7.0	IS 3025 Part 23: 2023	200	600
28	Total Hardness as CaCO ₃	mg/l	2.0	IS 3025 Part 21: 2009	200	600
29	Zinc	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8 : 1994	5	15
30	Cadmium	mg/l	BLQ (LOQ: 0.001)	USEPA 200.8 : 1994	0.003	No relaxation
31	Cyanide as CN	mg/l	BLQ(LOQ:0.01)	IS 3025 Part 27 Sec 1: 2021	0.05	No relaxation
32	Lead	mg/l	BLQ (LOQ: 0.005)	USEPA 200.8 : 1994	0.01	No relaxation
33	Mercury	mg/l	BLQ (LOQ: 0.0005)	USEPA 200.8 : 1994	0.001	No relaxation
34	Molybdenum	mg/l	BLQ (LOQ: 0.005)	USEPA 200.8 : 1994	0.07	No relaxation
35	Nickel	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8 : 1994	0.02	No relaxation
Pesticides						
36	Alachlor	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	0.02	No relaxation



M.Muthukaruppan
Technical Manager - Water
Authorized Signatory

1. The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts my liability or loss /damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-G/Q/FMR/049

Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.
Ph: 42985555 / 43635555 Fax : 42985500
E-mail : labsales@hecs.in



TC-17475

Laboratory Services Division

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page : 4 of 7

ULR : TC1747526000003277F
Report No. : HECSL/WT/011/070226
Sample ID No : 070226048
Sampling Date : 07/02/2026


Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Water
Sample Name : Drinking Water
Sample Mark : Drinking Water
Sample Reference : NA
Sample Drawn By : M/s.Hubert Enviro care Systems Limited.
Sample Location : NA
Environmental Condition : Temperature (°C) : 27.4 | Humidity (%) : 55.6
Sampling Method & Plan : IS 17614 (Part -1) : 2025 & HECS-G/M/SOP/004

Received Date : 07/02/2026
Commenced Date : 07/02/2026
Completed On : 13/02/2026
Report Date : 13/02/2026
Sample quantity : 2 Litres

S.No.	Test Parameters	Units	Results	Test Method	IS 10500 : 2012	
					Acceptable Limits (Max)	Permissible Limits (Max)
37	Aldrin	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	0.00003	No relaxation
38	Alpha BHC	mg/L	BLQ (LOQ: 0.000005)	US EPA 525.2: 1995	0.00001	No relaxation
39	Atrazine	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	0.002	No relaxation
40	Beta BHC	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	0.00004	No relaxation
41	Butachlor	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	0.125	No relaxation
42	Chloropyrifos	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	0.03	No relaxation
43	Delta BHC	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	0.00004	No relaxation
44	Dieldrin	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	0.00003	No relaxation
45	Endosulfan alpha	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	0.0004	No relaxation
46	Endosulfan beta	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	0.0004	No relaxation
47	Endosulfan sulfate	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	0.0004	No relaxation



M.Muthukaruppan
Technical Manager - Water
Authorized Signatory

1. The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts any liability or loss /damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-G/Q/FMR/049

Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.
Ph: 42985555 / 43635555 Fax : 42985500
E-mail : labsales@hecs.in



TC-17475

Laboratory Services Division

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page : 5 of 7

ULR : TC1747526000003277F
Report No. : HECSL/WT/011/070226
Sample ID No : 070226048
Sampling Date : 07/02/2026


Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Water
Sample Name : Drinking Water
Sample Mark : Drinking Water
Sample Reference : NA
Sample Drawn By : M/s.Hubert Enviro care Systems Limited.
Sample Location : NA
Environmental Condition : Temperature (°C) : 27.4 | Humidity (%) : 55.6
Sampling Method & Plan : IS 17614 (Part -1) : 2025 & HECS-G/M/SOP/004

Received Date : 07/02/2026
Commenced Date : 07/02/2026
Completed On : 13/02/2026
Report Date : 13/02/2026
Sample quantity : 2 Litres

S.No.	Test Parameters	Units	Results	Test Method	IS 10500 : 2012	
					Acceptable Limits (Max)	Permissible Limits (Max)
48	Ethion	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	0.003	No relaxation
49	Gamma BHC (Lindane)	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	0.002	No relaxation
50	o,p-DDD	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	0.001	No relaxation
51	o,p-DDE	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	0.001	No relaxation
52	o,p-DDT	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	0.001	No relaxation
53	p,p'-DDD	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	0.001	No relaxation
54	p,p'-DDE	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	0.001	No relaxation
55	p,p'-DDT	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	0.001	No relaxation
56	Phorate	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	0.002	No relaxation
57	Parathion-methyl	mg/L	BLQ (LOQ: 0.00001)	US EPA Method 8321B 2007	0.0003	No relaxation
58	2,4-D	mg/L	BLQ (LOQ: 0.00001)	US EPA Method 8321B 2007	0.03	No relaxation



M.Muthukaruppan
Technical Manager - Water
Authorized Signatory

1. The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts my liability or loss /damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-G/Q/FMR/049

Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.
Ph: 42985555 / 43635555 Fax : 42985500
E-mail : labsales@hecs.in



TC-17475

Laboratory Services Division

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page : 6 of 7

ULR : TC1747526000003277F
Report No. : HECSL/WT/011/070226
Sample ID No : 070226048
Sampling Date : 07/02/2026


Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Water
Sample Name : Drinking Water
Sample Mark : Drinking Water
Sample Reference : NA
Sample Drawn By : M/s.Hubert Enviro care Systems Limited.
Sample Location : NA
Environmental Condition : Temperature (°C) : 27.4 | Humidity (%) : 55.6
Sampling Method & Plan : IS 17614 (Part -1) : 2025 & HECS-G/M/SOP/004

Received Date : 07/02/2026
Commenced Date : 07/02/2026
Completed On : 13/02/2026
Report Date : 13/02/2026
Sample quantity : 2 Litres

S.No.	Test Parameters	Units	Results	Test Method	IS 10500 : 2012	
					Acceptable Limits (Max)	Permissible Limits (Max)
59	Isoproturon	mg/L	BLQ (LOQ: 0.00001)	US EPA Method 8321B 2007	0.009	No relaxation
60	Malathion	mg/L	BLQ (LOQ: 0.00001)	US EPA Method 8321B 2007	0.19	No relaxation
61	Monocrotophos	mg/L	BLQ (LOQ: 0.00001)	US EPA Method 8321B 2007	0.001	No relaxation
62	Total Poly Chlorinated Biphenyls as PCB	mg/L	BLQ (LOQ: 0.00001)	HECS-G/INS/SOP/009 Issue No.01, Issue Date 01.03: 2021	0.000 5	No relaxation
63	Total Poly Chlorinated Biphenyls as PCB	mg/l	BLQ (LOQ: 0.00001)	HECS-G/INS/SOP/009 Issue No.01, Issue Date 01.03: 2021		
64	Total Polycyclic aromatic hydrocarbons as PAH	mg/L	BLQ (LOQ: 0.00001)	HECS-G/INS/SOP/009 Issue No.01, Issue Date 01.03: 2021	0.000 1	No relaxation
65	Total arsenic (as As), mg/l, Max	mg/l	BLQ (LOQ: 0.005)	USEPA 200.8 : 1994	0.01	No relaxation
66	Total chromium (as Cr), mg/l, Max	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8 : 1994	0.05	No relaxation
Trihalomethanes						
67	Bromoform	mg/L	BLQ (LOQ: 0.01)	APHA Method 6232 24th Edition: 2023	0.1	No relaxation
68	Chloroform	mg/L	BLQ (LOQ: 0.01)	APHA Method 6232 24th Edition: 2023	0.2	No relaxation
69	Dibromochloromethane	mg/L	BLQ (LOQ: 0.01)	APHA Method 6232 24th Edition: 2023	0.1	No relaxation



M.Muthukaruppan
Technical Manager - Water
Authorized Signatory

1. The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts my liability or loss /damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-G/Q/FMR/049

Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.
Ph: 42985555 / 43635555 Fax : 42985500
E-mail : labsales@hecs.in



TC-17475

Laboratory Services Division

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page : 7 of 7

Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Water

Sample Name : Drinking Water

Sample Mark : Drinking Water

Sample Reference : NA

Sample Drawn By : M/s.Hubert Enviro care Systems Limited.

Sample Location : NA

Environmental Condition : Temperature (°C) : 27.4 | Humidity (%) : 55.6

Sampling Method & Plan : IS 17614 (Part -1) : 2025 & HECS-G/M/SOP/004

ULR : TC1747526000003277F

Report No. : HECSL/WT/011/070226

Sample ID No : 070226048

Sampling Date : 07/02/2026

Received Date : 07/02/2026

Commenced Date : 07/02/2026

Completed On : 13/02/2026

Report Date : 13/02/2026

Sample quantity : 2 Litres

S.No.	Test Parameters	Units	Results	Test Method	IS 10500 : 2012	
					Acceptable Limits (Max)	Permissible Limits (Max)
69	Dibromochloromethane	mg/L	BLQ (LOQ: 0.01)	APHA Method 6232 24th Edition: 2023	0.1	No relaxation
70	Bromodichloromethane	mg/L	BLQ (LOQ: 0.01)	APHA Method 6232 24th Edition: 2023	0.06	No relaxation
Discipline : Biological						
71	Escherichia Coli	Per 100ml	Absent	IS 15185:2016	Absent/100ml	NA
72	Total Coliform	Per 100ml	Absent	IS 15185 : 2016	Absent/100ml	NA


Note :- BLQ - Below the Limit of Quantification, LOQ- Limit of Quantification, NTU- Nephelometric Turbidity Unit, mg/l- Milligrams per litre, NA - Not Applicable.

Remarks: The Tested Parameters as above are within the Limits of Drinking Water Standards IS:10500:2012.

End of Report

Caroline.J

Technical Manager - Microbiology
Authorized Signatory



M.Muthukaruppan
Technical Manager - Water
Authorized Signatory

Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.
Ph: 42985555 / 43635555 Fax : 42985500
E-mail : labsales@hecs.in

Laboratory Services Division

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page : 1 of 1

Name of the Client : M/s. Featherlite India.,

Report No. : HECSL/WT/011/070226/N

Sample ID No : 070226048

Sampling Date : 07/02/2026

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Water

Received Date : 07/02/2026

Sample Name : Drinking Water

Commenced Date : 07/02/2026

Sample Mark : Drinking Water

Completed On : 13/02/2026

Sample Reference : NA

Report Date : 13/02/2026

Sample Drawn By : M/s.Hubert Enviro care Systems Limited.

Sample quantity : 2 Litres

Sample Location : NA

Environmental Condition : Temperature (°C) : 27.4 | Humidity (%) : 55.6

Sampling Method & Plan : IS 17614 (Part -1) : 2025 & HECS-G/M/SOP/004


S.No.	Test Parameters	Units	Results	Test Method	IS 10500 : 2012	
					Acceptable Limits (Max)	Permissible Limits (Max)
Discipline : Chemical						
1	Methoxychlor	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	NA	NA
2	Alpha Emitters	Bq/l	BLQ(LOQ:0.005)	IS 14194 Part 2 :1994	0.1	No relaxation
3	Beta Emitters	Bq/l	BLQ(LOQ:0.09	IS 14194 Part 1:1994	1.0	No relaxation

Note :- BLQ - Below the Limit of Quantification, LOQ- Limit of Quantification, becquerels per liter,

mg/l- Milligrams per litre, NA - Not Applicable.

Remarks: The Tested Parameters as above are within the Limits of Drinking Water Standards IS:10500:2012.

End of Report



M.Muthukaruppan
Technical Manager - Water
Authorized Signatory

Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.
Ph: 42985555 / 43635555 Fax : 42985500
E-mail : labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page : 1 of 1

Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Pollution & Environment

Sample Name : Waste Water

Sample Mark : STP Inlet

Sample Reference : NA

Sample Drawn By : M/s. Hubert Enviro care Systems Limited.

Sample Location : NA

Environmental Condition : Temperature (°C) : 29.7 | Humidity (%) : 55.2

Sampling Method & Plan : IS 17614 (Part -10) : 2021

ULR : TC1747526000003271F

Report No. : HECS/PE/011/070226

Sample ID No : 070226042

Sampling Date : 07/02/2026

Received Date : 07/02/2026

Commenced Date : 07/02/2026

Completed On : 11/02/2026


Report Date : 13/02/2026

Sample quantity : 2 Litres

S.No.	Parameters	Units	Results	Test Method
Discipline : Chemical				
1	Bio-Chemical Oxygen Demand(BOD) 3 days @27 ° C	mg/l	18.0	IS 3025 Part 44: 2023
2	Chemical Oxygen Demand (COD)	mg/l	72.0	IS 3025 Part 58: 2023
3	pH value @ 25 ° C	-	7.81	IS 3025 (Part 11) Clause 2 2022
4	Total Nitrogen as N	mg/l	112.6	HECS-G/ENV/WW/SOP/004 Issue No.:01 Issue Date:02.07.2020
5	Total suspended solids @ 105° C	mg/l	56.0	IS 3025 Part 17 : 2023

Note : mg/l: milligram per Litre.

End of Report



G. Saravanan
Senior Chemist
Authorized Signatory

1. The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts my liability or loss /damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-G/Q/FMR/049

Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.
Ph: 42985555 / 43635555 Fax : 42985500
E-mail : labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page : 1 of 1

ULR : TC1747526000003278F
Report No. : HECS/PE/15/070226
Sample ID No : 070226050
Sampling Date : 07/02/2026

Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Pollution & Environment

Sample Name : Effluents & Waste

Sample Mark : STP Inlet

Sample Reference : NA

Sample Drawn By : M/s. Hubert Enviro care Systems Limited.

Sample Location : NA

Received Date : 07/02/2026

Commenced Date : 07/02/2026

Completed On : 10/02/2026

Report Date : 13/02/2026

Sample quantity : 100ml


Environmental Condition : Temperature (°C) : 29.7 | Humidity (%) : 55.2

Sampling Method & Plan : APHA 24th Edition Part 9260

S.No.	Test Parameters	Units	Results	Test Method
Discipline : Biological				
1	Faecal Coliform	MPN/100ml	920	APHA 24th Edition Chapter 9221 : 2023

Note : MPN – Most Probable Number.

End of Report



Caroline.J
Technical Manager - Microbiology
Authorized Signatory

1. The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts my liability or loss /damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-G/Q/FMR/049

Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax : 42985500

E-mail : labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page : 1 of 2

Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Pollution & Environment

Sample Name : Waste Water

Sample Mark : STP Inlet

Sample Reference : NA

Sample Drawn By : M/s.Hubert Enviro care Systems Limited.

Sample Location : NA

Environmental Condition : Temperature (°C) : 29.7 | Humidity (%) : 55.2

Sampling Method & Plan : IS 17614 (Part -10) : 2021

ULR : TC1747526000003272F

Report No. : HECS/PE/012/070226

Sample ID No : 070226043

Sampling Date : 07/02/2026

Received Date : 07/02/2026


Commenced Date : 07/02/2026

Completed On : 13/02/2026

Report Date : 13/02/2026

Sample quantity : 2 Litres

S.No.	Test Parameters	Units	Results	Test Method
Discipline : Chemical				
1	Arsenic	mg/l	BLQ (LOQ: 0.005)	USEPA 200.8 Revision 5.4: 1994
2	Cadmium	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8 Revision 5.4: 1994
3	Chromium	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8 Revision 5.4: 1994
4	Copper	mg/l	BLQ (LOQ: 0.1)	USEPA 200.8 Revision 5.4: 1994
5	Nickel	mg/l	BLQ (LOQ: 0.1)	USEPA 200.8 Revision 5.4: 1994
6	Selenium	mg/l	BLQ (LOQ: 0.005)	USEPA 200.8 Revision 5.4: 1994
7	Zinc	mg/l	BLQ (LOQ: 0.1)	USEPA 200.8 Revision 5.4: 1994
8	Ammonical Nitrogen as NH ₃ -N	mg/l	69.01	IS 3025 Part 34 Sec 1: 2023
9	Bio-Chemical Oxygen Demand(BOD) 3 days @27 ° C	mg/l	18.0	IS 3025 Part 44: 2023
10	Boron as B	mg/l	BLQ (LOQ 0.1)	IS 3025 (Part 57) Clause 6 2021
11	Chloride as Cl-	mg/l	719.77	IS 3025 (Part 32) Clause 2 1988
12	Cyanide as CN	mg/l	BLQ (LOQ 0.01)	IS 3025 Part 27 Clause 2 : 2021
13	Fluorides as F	mg/l	BLQ (LOQ 0.1)	APHA 24th Edn. 4500 D-F Spadns method: 2023
14	Hexavalent Chromium as Cr ⁶⁺	mg/l	BLQ (LOQ 0.05)	IS 3025 (Part 52) Clause 6 2003
15	Oil and grease	mg/l	BLQ (LOQ 4.0)	IS : 3025 (Part 39) Clause 5 2021
16	pH value @ 25 ° C	-	7.81	IS 3025 (Part 11) Clause 2 2022
17	Phenolic compound	mg/l	BLQ (LOQ 0.01)	IS 3025 Part 43 Sec 1: 2022
18	Residual Sodium Carbonate	mEq/L	BLQ (LOQ 0.1)	IS 11624 : 2019



G. Saravanan
Senior Chemist
Authorized Signatory

1. The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts any liability or loss /damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-G/Q/FMR/049

Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.
Ph: 42985555 / 43635555 Fax : 42985500
E-mail : labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page : 2 of 2

ULR : TC1747526000003272F
Report No. : HECS/PE/012/070226
Sample ID No : 070226043
Sampling Date : 07/02/2026

Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043


Group : Pollution & Environment
Sample Name : Waste Water
Sample Mark : STP Inlet
Sample Reference : NA
Sample Drawn By : M/s.Hubert Enviro care Systems Limited.
Sample Location : NA
Environmental Condition : Temperature (°C) : 29.7 | Humidity (%) : 55.2
Sampling Method & Plan : IS 17614 (Part -10) : 2021

Received Date : 07/02/2026
Commenced Date : 07/02/2026
Completed On : 13/02/2026
Report Date : 13/02/2026
Sample quantity : 2 Litres

S.No.	Test Parameters	Units	Results	Test Method
19	Sulphate as SO42-	mg/l	38.46	IS 3025 Part 24 Sec 1: 2022
20	Sulphide as S2-	mg/l	BLQ (LOQ 1.0)	IS 3025 Part 29 : 2022
21	Total dissolved solids @ 180° C	mg/l	2740.0	IS 3025 Part 16 : 2023
22	Total suspended solids @ 105° C	mg/l	56.0	IS 3025 Part 17 : 2023
23	Percent Sodium	%	27.4	HECS-G/ENV/WW/SOP/002 Issue No.:01 Issue Date:02:07: 2020

Note : BLQ : Below Limit of Quantification, LOQ: Limit of Quantification, mg/l: milligram per Litre, µg/L:Microgram per Litre,
%: Percentage.

End of Report



G.Saravanan
Senior Chemist
Authorized Signatory

1. The report in full or part shall not be used for any promotional or publicity purpose without written consent by HIECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts my liability or loss /damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-G/Q/FMR/049

Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.
Ph: 42985555 / 43635555 Fax : 42985500
E-mail : labsales@hecs.in

Laboratory Services Division

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page : 1 of 1

Name of the Client : M/s. Featherlite India.,
Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043
Group : Pollution & Environment
Sample Name : Waste Water
Sample Mark : STP Inlet
Sample Reference : NA
Sample Drawn By : M/s. Hubert Enviro care Systems Limited.
Sample Location : NA
Environmental Condition : Temperature (°C) : 29.7 | Humidity (%) : 55.2
Sampling Method & Plan : IS 17614 (Part -10) : 2021
Report No. : HECS/PE/012/070226/N
Sample ID No : 070226043
Sampling Date : 07/02/2026
Received Date : 07/02/2026
Commenced Date : 07/02/2026
Completed On : 13/02/2026
Report Date : 13/02/2026
Sample quantity : 2 Litres

S.No.	Test Parameters	Units	Results	Test Method
Discipline : Chemical				
1	Mercury	mg/l	BLQ (LOQ: 0.1)	USEPA 200.8 Revision 5.4: 1994
2	Lead	mg/l	BLQ (LOQ: 0.1)	USEPA 200.8 Revision 5.4: 1994
3	Alpha Emitters	microcurie/ml	BLQ(LOQ 0.00000000001)	IS 14194 (Part 1)-1994
4	Beta emitters	microcurie/ml	BLQ(LOQ 0.00000000001)	IS 14194 (Part 2)-1994

Note : BLQ : Below Limit of Quantification, LOQ: Limit of Quantification, mg/l: milligram per Litre.

End of Report



G. Saravanan

G. Saravanan
Senior Chemist
Authorized Signatory

1. The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts my liability or loss/damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-G/Q/FMR/049

Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax : 42985500

E-mail : labsales@hecs.in



TC-17475

Laboratory Services Division

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page : 1 of 1

Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Pollution & Environment

Sample Name : Waste Water

Sample Mark : STP Outlet

Sample Reference : NA

Sample Drawn By : M/s.Hubert Enviro care Systems Limited.

Sample Location : NA

Environmental Condition : Temperature (°C) : 29.7 | Humidity (%) : 55.2

Sampling Method & Plan : IS 17614 (Part -10) : 2021

ULR : TC1747526000003273F

Report No. : HECS/PE/013/070226

Sample ID No : 070226044

Sampling Date : 07/02/2026

Received Date : 07/02/2026

Commenced Date : 07/02/2026

Completed On : 11/02/2026

Report Date : 13/02/2026

Sample quantity : 2 Litres


S.No.	Parameters	Units	Results	Test Method	TNPCB Limits*
Discipline : Chemical					
1	Bio-Chemical Oxygen Demand(BOD) 3 days @27 ° C	mg/l	9.0	IS 3025 Part 44: 2023	20
2	Chemical Oxygen Demand (COD)	mg/l	40.0	IS 3025 Part 58: 2023	-
3	pH value @ 25 ° C	-	7.26	IS 3025 (Part 11) Clause 2 : 2022	6.5-9.0
4	Total Nitrogen as N	mg/l	9.72	HECS-G/ENV/WW/SOP/004 Issue No.:01 Issue Date:02.07.2020	-
5	Total suspended solids @ 105° C	mg/l	10.0	IS 3025 Part 17 : 2023	< 50

Note:- mg/l: milligram per Litre.

* Metro Cities As Per Standards for Sewage Treatment Plant.

Remarks: STP Outlet as above parameters meets TNPCB Standards.

End of Report



G.Saravanan
Senior Chemist
Authorized Signatory

1. The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts my liability or loss /damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-G/Q/FMR/049

Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.
Ph: 42985555 / 43635555 Fax : 42985500
E-mail : labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page : 1 of 1

ULR : TC1747526000003279F
Report No. : HECS/PE/16/070226
Sample ID No : 070226051
Sampling Date : 07/02/2026

Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Pollution & Environment

Sample Name : Effluents & Waste

Sample Mark : STP Outlet

Sample Reference : NA

Sample Drawn By : M/s. Hubert Enviro care Systems Limited.

Sample Location : NA

Received Date : 07/02/2026

Commenced Date : 07/02/2026

Completed On : 10/02/2026

Report Date : 13/02/2026

Sample quantity : 100ml

Environmental Condition : Temperature (°C) : 29.7 | Humidity (%) : 55.2

Sampling Method & Plan : APHA 24th Edition Part 9260


S.No.	Test Parameters	Units	Results	Test Method	TNPCB Limits*
Discipline : Biological					
1	Faecal Coliform	MPN/100ml	70	APHA 24th Edition Chapter 9221 : 2023	<1000

Note : MPN – Most Probable Number.

* Metro Cities As Per Standards for Sewage Treatment Plant.

Remarks: STP Outlet as above parameters meets TNPCB Standards.

End of Report



Caroline.J
Technical Manager - Microbiology
Authorized Signatory

1. The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts my liability or loss /damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-G/Q/FMR/049

Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.
Ph: 42985555 / 43635555 Fax : 42985500
E-mail : labsales@hecs.in



TC-17475

Laboratory Services Division

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page : 1 of 2

Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Pollution & Environment

Sample Name : Waste Water

Sample Mark : STP Outlet

Sample Reference : NA

Sample Drawn By : M/s. Hubert Enviro care Systems Limited.

Sample Location : NA

Environmental Condition : Temperature (°C) : 29.7 | Humidity (%) : 55.2

Sampling Method & Plan : IS 17614 (Part -10) : 2021

ULR : TC1747526000003274F

Report No. : HECS/PE/014/070226

Sample ID No : 070226045

Sampling Date : 07/02/2026

Received Date : 07/02/2026


Commenced Date : 07/02/2026

Completed On : 13/02/2026

Report Date : 13/02/2026

Sample quantity : 2 Litres

S.No.	Test Parameters	Units	Results	Test Method	TNPCB Limits*
Discipline : Chemical					
1	Arsenic	mg/l	BLQ (LOQ: 0.005)	USEPA 200.8 Revision 5.4: 1994	-
2	Cadmium	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8 Revision 5.4: 1994	-
3	Chromium	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8 Revision 5.4: 1994	-
4	Copper	mg/l	BLQ (LOQ: 0.1)	USEPA 200.8 Revision 5.4: 1994	-
5	Nickel	mg/l	BLQ (LOQ: 0.1)	USEPA 200.8 Revision 5.4: 1994	-
6	Selenium	mg/l	BLQ (LOQ: 0.005)	USEPA 200.8 Revision 5.4: 1994	-
7	Zinc	mg/l	BLQ (LOQ: 0.1)	USEPA 200.8 Revision 5.4: 1994	-
8	Ammonical Nitrogen as NH ₃ -N	mg/l	3.86	IS 3025 Part 34 Sec 1: 2023	-
9	Bio-Chemical Oxygen Demand(BOD) 3 days @27 ° C	mg/l	9.0	IS 3025 Part 44: 2023	20
10	Boron as B	mg/l	BLQ (LOQ 0.1)	IS 3025 (Part 57) Clause 6 2021	-
11	Chloride as Cl-	mg/l	23742.6	IS 3025 (Part 32) Clause 2 1988	-
12	Cyanide as CN	mg/l	BLQ (LOQ 0.01)	IS 3025 Part 27 Clause 2 : 2021	-
13	Fluorides as F	mg/l	BLQ (LOQ 0.1)	APHA 24th Edn. 4500 D-F Spadns method: 2023	-
14	Hexavalent Chromium as Cr ₆ +	mg/l	BLQ (LOQ 0.05)	IS 3025 (Part 52) Clause 6 2003	-



G. Saravanan

Senior Chemist

Authorized Signatory

1. The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts my liability or loss/damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-G/Q/FMR/049

Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.
Ph: 42985555 / 43635555 Fax : 42985500
E-mail : labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page : 2 of 2

ULR : TC1747526000003274F

Report No. : HECS/PE/014/070226

Sample ID No : 070226045

Sampling Date : 07/02/2026

Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Pollution & Environment

Sample Name : Waste Water

Sample Mark : STP Outlet

Sample Reference : NA

Sample Drawn By : M/s.Hubert Enviro care Systems Limited.

Sample Location : NA

Environmental Condition : Temperature (°C) : 29.7 | Humidity (%) : 55.2

Sampling Method & Plan : IS 17614 (Part -10) : 2021

Received Date : 07/02/2026

Commenced Date : 07/02/2026

Completed On : 13/02/2026

Report Date : 13/02/2026

Sample quantity : 2 Litres


S.No.	Test Parameters	Units	Results	Test Method	TNPSB Limits*
15	Oil and grease	mg/l	BLQ (LOQ 4.0)	IS : 3025 (Part 39) Clause 5 : 2021	-
16	pH value @ 25 ° C	-	7.26	IS 3025 (Part 11) Clause 2 : 2022	6.5-9.0
17	Phenolic compound	mg/l	BLQ (LOQ 0.01)	IS 3025 Part 43 Sec 1: 2022	-
18	Residual Sodium Carbonate	mEq/L	BLQ (LOQ 0.1)	IS 11624 : 2019	-
19	Sulphate as SO42-	mg/l	84.5	IS 3025 Part 24 Sec 1: 2022	-
20	Sulphide as S2-	mg/l	BLQ (LOQ 1.0)	IS 3025 Part 29 : 2022	-
21	Total dissolved solids @ 180° C	mg/l	140410.0	IS 3025 Part 16 : 2023	-
22	Total suspended solids @ 105° C	mg/l	10.0	IS 3025 Part 17 : 2023	< 50
23	Percent Sodium	%	34.7	HECS-G/ENV/WW/SOP/002 Issue No.:01 Issue Date:02:07: 2020	-

Note:- mg/l: milligram per Litre.

* Metro Cities As Per Standards for Sewage Treatment Plant.

Remarks: STP Outlet as above parameters meets TNPSB Standards.

End of Report



G.Saravanan
Senior Chemist
Authorized Signatory

1. The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts my liability or loss /damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-G/Q/FMR/049

Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.
Ph: 42985555 / 43635555 Fax : 42985500
E-mail : labsales@hecs.in

Laboratory Services Division

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page : 1 of 1

Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Pollution & Environment

Sample Name : Waste Water

Sample Mark : STP Outlet

Sample Reference : NA

Sample Drawn By : M/s.Hubert Enviro care Systems Limited.

Sample Location : NA

Environmental Condition : Temperature (°C) : 29.7 | Humidity (%) : 55.2

Sampling Method & Plan : IS 17614 (Part -10) : 2021

Report No. : HECS/PE/014/070226/N

Sample ID No : 070226045

Sampling Date : 07/02/2026

Received Date : 07/02/2026

Commenced Date : 07/02/2026

Completed On : 13/02/2026


Report Date : 13/02/2026

Sample quantity : 2 Litres

S.No.	Test Parameters	Units	Results	Test Method
Discipline : Chemical				
1	Mercury	mg/l	BLQ (LOQ: 0.1)	USEPA 200.8 Revision 5.4: 1994
2	Lead	mg/l	BLQ (LOQ: 0.1)	USEPA 200.8 Revision 5.4: 1994
3	Alpha Emitters	microcurie/ml	BLQ(LOQ 0.0000000001)	IS 14194 (Part 1)-1994
4	Beta emitters	microcurie/ml	BLQ(LOQ 0.0000000001)	IS 14194 (Part 2)-1994

Note : BLQ : Below Limit of Quantification, LOQ: Limit of Quantification, mg/l: milligram per Litre.

End of Report



G.Saravanan
Senior Chemist
Authorized Signatory

1. The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts my liability or loss /damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-G/Q/FMR/049

Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax : 42985500

E-mail : labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page : 1 of 1

ULR : TC1747526000002769F

Report No. : HECS/AP/017/070226

Sample ID No : 070226037

Sampling Date : 07/02/2026

Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Atmospheric Pollution

Sample Name : Noise Levels (Excluding vibration) (Env)

Sample Mark : DG Noise

Sample Reference : NA

Sample Drawn By : M/s.Hubert Enviro care Systems Limited.

Sample Location : B Block

Environmental Condition : Temperature (°C) : 31.0 | Humidity (%) : 54.8

Sampling Method & Plan : IS 9989:1981

Received Date : 07/02/2026

Commenced Date : 07/02/2026

Completed On : 09/02/2026


Report Date : 10/02/2026

Sample quantity : NA

S.No	Location	Noise Level in dB(A)	Permissible Limit of CPCB (DG Door Closed)
1	Near DG - 500 KVA Door Open	72.1	75 Max
2	Near DG - 500 KVA Door Close (1 m distance from Acoustic room)	54.2	

Remarks:-The Noise levels meets the requirements of CPCB Standards (Engine Rating less than 0.8 M W (800 KW).

End of Report



G.Saravanan
Senior Chemist
Authorized Signatory

1. The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts any liability or loss /damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-G/Q/FMR/049



TC-12310

**Annexure-10****TEST REPORT**

Page : 1 of 1

Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Atmospheric Pollution

Sample Name : Ambient Noise Levels (Excluding vibration) (Env)

Sample Mark : Ambient Noise

Sample Reference : NA

Sample Drawn By : M/s.Hubert Enviro care Systems (P) Ltd.

Sample Location : NA

Environmental Condition : Temperature (°C) : 31.0 | Humidity (%) : 55.0

Sampling Method & Plan : IS 9989:1981

ULR : TC1231025000052575F

Report No. : HECS/AP/20/281025

Sample ID No : 281025078

Sampling Date : 28/10/2025

Received Date : 28/10/2025

Commenced Date : 28/10/2025

Completed On : 03/11/2025

Report Date : 04/11/2025

Sample quantity : NA

S.No	Location	Day Time Noise level in dB (A)	Night Time Noise level in dB (A)
1	DG Room	53.1	51.3
2	Electrician Room	54.3	52.2

Limits set by CPCB:

i) Industrial Area : Day Time-75 dB (A) Night Time : -70 dB (A)

Note :- Day time-06.00AM to 10.00PM, Night time-10.00PM to 06.00AM

Remarks:- The noise level meets the requirement of CPCB Limits.

End of Report



[Signature] 11/11/25
Sowjanya Ankaiah
Senior Chemist
Authorized Signatory



TC-12310

**TEST REPORT**

Page : 1 of 1

Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Atmospheric Pollution

Sample Name : Ambient Noise Levels (Excluding vibration) (Env)

Sample Mark : DG Noise

Sample Reference : NA

Sample Drawn By : M/s.Hubert Enviro care Systems (P) Ltd.

Sample Location : NA

Environmental Condition : Temperature (°C) : 31.0 | Humidity (%) : 55.0

Sampling Method & Plan : IS 9989:1981

ULR : TC1231025000052576F

Report No. : HECS/AP/021/281025

Sample ID No : 281025079

Sampling Date : 28/10/2025

Received Date : 28/10/2025

Commenced Date : 28/10/2025

Completed On : 03/11/2025

Report Date : 04/11/2025

Sample quantity : NA

S.No	Location	Noise Level in dB(A)	Permissible Limit of CPCB (DG Door Closed)
1	DG - I- 750 KVA Door Open	89.3	75 Max
2	DG - I- 750 KVA Door Close (1 m distance from Acoustic room)	57.3	

Remarks:-The Noise levels meets the requirements of CPCB Standards (Engine Rating less than 0.8 M W (800 KW).

End of Report




Sowjanya Ankaiah
Senior Chemist
Authorized Signatory

Hubert Enviro Care Systems Limited

A-21, III Phase, Thiru Vi Ka Industrial Estate,
Guindy, Chennai - 600 032.
Ph: 42985555 / 43635555 Fax : 42985500
E-mail : labsales@hecs.in

**Laboratory Services Division**

(Chemical & Biological Testing)
Recognized by CPCB (MoEF & CC)
BIS FSSAI Notified Laboratory
ISO 9001, 14001 & 45001 Certified.

**TEST REPORT**

Page : 3 of 7

Name of the Client : M/s. Featherlite India.,

Address of the Client : 200 Feet Radial Road Pallavaram, Chennai - 600043

Group : Water

Sample Name : Ground water

Sample Mark : Ground water

Sample Reference : NA

Sample Drawn By : M/s.Hubert Enviro care Systems Limited.

Sample Location : NA

Environmental Condition : Temperature (°C) : 27.4 | Humidity (%) : 55.6

Sampling Method & Plan : IS 17614 (Part -1) : 2025 & HECS-G/M/SOP/004

ULR : TC1747526000003277F

Report No. : HECSL/WT/011/070226

Sample ID No : 070226048

Sampling Date : 07/02/2026

Received Date : 07/02/2026

Commenced Date : 07/02/2026

Completed On : 13/02/2026

Report Date : 13/02/2026

Sample quantity : 2 Litres

S.No.	Test Parameters	Units	Results	Test Method	IS 10500 : 2012	
					Acceptable Limits (Max)	Permissible Limits (Max)
26	Sulphide as H ₂ S	mg/l	BLQ(LOQ:0.04)	IS 3025 Part 29 (Methylene blue method): 1986	0.05	No relaxation
27	Total alkalinity as CaCO ₃	mg/l	7.0	IS 3025 Part 23: 2023	200	600
28	Total Hardness as CaCO ₃	mg/l	2.0	IS 3025 Part 21: 2009	200	600
29	Zinc	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8 : 1994	5	15
30	Cadmium	mg/l	BLQ (LOQ: 0.001)	USEPA 200.8 : 1994	0.003	No relaxation
31	Cyanide as CN	mg/l	BLQ(LOQ:0.01)	IS 3025 Part 27 Sec 1: 2021	0.05	No relaxation
32	Lead	mg/l	BLQ (LOQ: 0.005)	USEPA 200.8 : 1994	0.01	No relaxation
33	Mercury	mg/l	BLQ (LOQ: 0.0005)	USEPA 200.8 : 1994	0.001	No relaxation
34	Molybdenum	mg/l	BLQ (LOQ: 0.005)	USEPA 200.8 : 1994	0.07	No relaxation
35	Nickel	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8 : 1994	0.02	No relaxation
Pesticides						
36	Alachlor	mg/L	BLQ (LOQ: 0.00001)	US EPA 525.2: 1995	0.02	No relaxation



M. Muthukaruppan
Technical Manager - Water
Authorized Signatory

1. The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization 2. Samples are not drawn by HECS unless or otherwise mentioned 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances lab accepts any liability or loss /damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-G/Q/FMR/049